## ABSTRACT OF THE DISCLOSURE

Nonaqueous compositions formulated for spray application to a substrate wherein the composition contains a foam-reducing quantity of at least one base-catalyzed reaction product comprising the following reactants:

A) at least one compound of formula I

 $R^{1}(X)_{3} \qquad (\Gamma$ 

wherein each X group is a halogen atom or one X group is a halogen atom and two X groups represent an epoxy oxygen atom, which is attached to two adjacent carbon atoms in the R<sup>1</sup> group to form an epoxy group, and R<sup>1</sup> is an alkanetriyl group containing from 3 to 10 carbon atoms; and

B) at least one compound having the formula II

 $R^2X(AO)_nY$  (II)

wherein R<sup>2</sup> is a substituted or unsubstituted, saturated or unsaturated, organic group having from 1 to 36 carbon atoms; X is —O—, —S—, or —NR<sup>3</sup>— where R<sup>3</sup> is hydrogen or a C<sub>1</sub>-C<sub>18</sub> alkyl group; each AO group is independently an ethyleneoxy, 1,2-propyleneoxy, or 1,2-butyleneoxy group, n is a number of from 0 to 200; and Y is hydrogen, or Y can be a mercapto group or an amino group or a C<sub>1</sub>-C<sub>6</sub> alkylamino group in place of a terminal —OH group, provided that when Y is mercapto or an amino group or a C<sub>1</sub>-C<sub>6</sub> alkylamino group, n is at least 1;

wherein the mole ratio of the linking compound A) to B) is from 0.1:1 to 5:1; and methods for their application.

10

5

15

20